



ONLINE AUCTION

HUGE ONLINE AUCTION WITH ITEMS AT 15 LOCATIONS IN OR NEAR HOUSTON, BEAUMONT, DALLAS & EL PASO

Machine Tools, Fabricating Equipment, Processing Equipment, Forklifts, Hydraulic Telescoping Crane,
Gantry & Bridge Type Cranes, 1926 Antique Automobile, Furniture



MORANDO 67" VERTICAL BORING MILL



LANSING 28" X 60" HOLLOW SPINDLE LATHE



G&L 10' X 10' POWERED ROTARY TABLE
W/INFEED



CINCINNATI FORMASTER II 350 TON CAP. X 16' CNC
HYDRAULIC PRESSBRAKE

**ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE
FOR ONLINE BIDDING AT THIS AUCTION.
GO TO www.pmi-auction.com and click on BidSpotter.co
on our calendar page for this auction sale.**



WOTAN 5-1/8" HORIZONTAL BORING MILL

**SALE DATE: BIDS START
CLOSING ON TUESDAY,
DECEMBER 16 AT 10:00 A.M.**

INSPECTION: Monday, December 15 from
9:00 A.M. to 4:00 P.M. or by Appointment



TURBINE LASER ALIGNMENT SYSTEM

**18% BUYER'S PREMIUM
WILL APPLY**



AMERICAN 46" X 180" LARGE CAPACITY CNC HOLLOW SPINDLE LATHE



I.W.M. 6' X 13' CUTTING CAP. CNC WATERJET CUTTING MACHINE

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



AUCTION

18% BUYER'S PREMIUM WILL APPLY

**SALE DATE: BIDS
START CLOSING
ON TUESDAY,
DECEMBER 16 AT
10:00 A.M.**

INSPECTION:
Monday, December 15
from
9:00 A.M. to 4:00 P.M.
or by Appointment

LOCATION A

Surplus to the ongoing
operations of
SILVA TECHNOLOGIES
3228 Maxroy,
Houston, TX 77008

INSPECTION:
By Appointment Only –
CALL 713-869-3631

LARGE CAPACITY CNC HOLLOW SPINDLE LATHE

AMERICAN 46" X 180", retrofitted in 2012 with NCT Automation Mdl. NCT201T LCD touch screen CNC control system (FANUC compatible programming, LADDER program, WINDOWS op. sys., EtherCAT, HEIDENHAIN EnDat 2.2 interface for measuring, (4) USB connections, remote diagnostics, built-in oscilloscope), 12.5" spndl. hole, 46" sw. over bed, 26" sw. over carriage, 6-station tool turret, 40" wide bed, front and rear 24" Cushman 4-jaw chucks, hardened and ground ways, 75 HP DC motor with transformer, under power, S/N 80731/81, heavy duty hyd. steadyrest Mdl. AT50700 to be offered immediately after lathe.

LARGE CAPACITY VERTICAL HONE

MICROMATIC MDL. 15V65, 12" max. dia., 65" max. stroke, single spndl., dual 10" x 12" shuttle tables, Trabon Mdl. WSC lubrication, outboard hyd. system, S/N 100.



**12.5"
SPINDLE
HOLE**



RETROFITTED IN 2012 W/NCT CONTROL

AMERICAN 46" X 180" LARGE CAPACITY CNC HOLLOW SPINDLE LATHE



**< CLOSE UP
VIEW OF
STEADYREST**

LOCATION B

Surplus to the ongoing operations of
M & M INDUSTRIAL SERVICES, INC.
7064 Patillo Road, Beaumont, TX 77705

**INSPECTION: Monday, December 15 from
9:00 A.M. to 4:00 P.M. or by appointment.
(Call 409-729-9488 for appointment)**

PLATE SHEAR

**ATLANTIC 1/2" X 10' CAP. HY-
DRAULIC**, Mdl. HDS10.1/2,
front mounted digital control,
back gauge, 2' squaring arm,
S/N 20813.



LOCATION C

EAST HOUSTON STORAGE FACILITY: Dixie Cullen Interests
8501 East Freeway (I-10), Houston, TX 77029

**INSPECTION: Monday, December 15
from 9:00 A.M. to 4:00 P.M.**

LARGE CAPACITY HYDRAULIC SURFACE GRINDER

THOMPSON 36" X 240", 36" x 240" table, 48" under grinding wheel, 30 HP, (5) 36" x 48" magnetic chucks, 6" W. X 20" dia. wheel, auto power downfeed, S/N N.A.



HUGE ONLINE AUCTION WITH ITEMS AT 15 LOCATIONS IN OR NEAR HOUSTON, BEAUMONT, DALLAS & EL PASO

Machine Tools, Fabricating Equipment, Processing Equipment, Forklifts, Hydraulic Telescoping Crane,
Gantry & Bridge Type Cranes, 1926 Antique Automobile, Furniture



CNC

**CINCINNATI FORMMASTER II 350 TON CAP. X 16' CNC
HYDRAULIC PRESSBRAKE**



2012

**LESS THAN
400 HRS.**

CNC

I.W.M. 6' X 13' CUTTING CAP. CNC WATERJET CUTTING MACHINE

CNC WATERJET CUTTING MACHINE

I.W.M. 6' X 13' CUTTING CAP., Mdl. WC4WA4020UB, new 2012, 8' x 14' material table, 55,000 PSI Mdl. W1P5H Intensifier pump, S/N DWP0106056, 3.5L/min, XL Mdl. 1534 oil chiller, IMW automatic abrasive delivery system, up to 4" thick metal cutting cap., less than 400 hrs. total use, P.C. based control system, under power, S/N N.A. See video.

SHOP SUPPORT TOOLS, EQUIPMENT, RAW MATERIAL

BOBCAT MDL. 250 PORTABLE WELDER/GENERATOR; THERMAL DYNAMICS CUTMASTER MDL. 51 PLASMA CUTTER; LINCOLN IDEALARC MDL. R3R-400 WELDER, new 2005 w/TIG module; **VERTICAL AIR COMPRESSOR**, Pro, est. 5 HP; **WILDER MACHINERY SERIES WILDER WORKHORSE MDL. 1624 SLITTER**, 18 ga. mild steel, S/N 46221; **ROLLING TABLE**, w/bench grinder and vise; **ROLLING TABLE**, w/vise; **ROLLING TABLE**; (2) **MAX AIR 42" ROUND FANS**; **PIGEONHOLE CABINETS** w/nuts and bolts; **BANDING CART** and **TOOLS**; **DAYTON 175,000 KEROSENE PORTABLE HEATER**; **RIDGID TRIPOD/PIPE PALLET JACK** and **DOLLY**; **MISC. TOOLS**; **BASKETS** w/contents, **PARTS INVENTORY**; **SHEET STOCK INVENTORY**. See catalog.

CNC HYDRAULIC PRESSBRAKE

CINCINNATI 350 T. CAP. X 16', Mdl. 350 FMII X 14', 16' overall bed length, 14' between housings, Cincinnati FORM MASTER II CNC control, 10" max. stroke, 11" throat, 5.75" W. bed, front bolt on material supports, under power, S/N 47710.

PRESSBRAKE DIES

194" L. 4-WAY DIE; **86" L. 4-WAY DIE**; **82" L. 4-WAY DIE**; **48" I. 4-WAY DIE**; **COMBINATION 16"-2" PUNCH & DIE SET**; **MANY OTHER PUNCH AND DIE SETS**. SEE CATALOG.

FORKLIFT

YALE 5,000 LB. CAP., LPG engine, 3-stage mast, cushion tires.

LOCATION D

Complete facility closing at
PHOENIX WATERJET SERVICES
9421 FM 2920, Suite 14B,
Tomball, TX 77375

INSPECTION:

Monday, December 15
from 9:00 A.M. to 4:00 P.M.
or by appointment
(Call Bill Marmion at
713-470-8696 for appointment)



**MILLER BOBCAT PORTABLE
WELDER**



**4-WAY DIES AND DIE SETS
UP TO 194" L.**



**SELECTION OF SMALLER PUNCH
AND DIE SETS**



YALE 500 LB. CAP. FORKLIFT



**LINCOLN
R3R-400
WELDING
MACHINE**

2005



**THERMAL DYNAMICS
PLASMA CUTTER**

**HUGE ONLINE AUCTION WITH
ITEMS AT 15 LOCATIONS
IN OR NEAR HOUSTON,
BEAUMONT, DALLAS & EL PASO**

**Machine Tools, Fabricating Equipment, Processing Equipment,
Forklifts, Hydraulic Telescoping Crane, Gantry & Bridge Type
Cranes, 1926 Antique Automobile, Furniture**

LOCATION E

**NEAR DOWNTOWN HOUSTON WAREHOUSE
3609 Clinton, Houston, TX 77020**

**NO CHARGE FOR LOADOUT AT THIS
LOCATION UNLESS NOTED BELOW.**

**INSPECTION: Monday, December 15 from
9:00 A.M. to 4:00 P.M. or by appointment
(Call 713-462-5800 for appointment)**

**HORIZONTAL MILLING/BORING
MACHINES & ACCESSORIES**

WOTAN 5-1/8" TABLE TYPE, Mdl. B130L, 5-1/8" spndl., No. 6 MT, 35" spndl. travel, (33) spndl. spds.: 2.5–1,000 RPM, (27) fds.: 0.0013–0.500 IPR, 60" x 118" table, 108" table cross travel, 75" long. travel, 70" headstock vert. travel, 112 IPM rapids, 183" saddle, 25 HP motor, Pratt & Whitney 50" pwr. rotation table, 28" facing head, Sony 3-axis D.R.O., right angle head, spndl. suppt., outriggers, thdng., pendant, misc. tooling, S/N 54348.

UNION 5" TABLE TYPE, Mdl. BFT125/5, 5" spndl., Metric 80 taper, spds: 3.55–710 RPM, 39" spndl. travel, 63" table cross travel, 63" vert. headstock travel, 55" x 63" table, 17,600 lbs. table load cap., 23 HP motor, pendant, 31" built-in facing head, rotary table, outboard support, way covers on X, S/N 8662/66.

GIDDINGS & LEWIS 120" X 120" POWER ROTARY TABLE W/INFEED, 50 T. table load, (9) T-slots, 48" table height, 144" runway length, 48" table travel on bed, 84" bed width, ½ deg. graduations, 10 HP AC feed and rapid traverse., hand crank for fine feed and adj., portable push-button station, S/N N.A.

JIG MILL

DEVLIEG 3" MILL, Mdl. 3K-72, 3" spndl., No. 40 taper, (16) spndl. spds: 17–1,660 RPM, (16) spndl. fds: 0.0013–0.167 IPR, 45" x 72" table, 16" spndl. travel, 72" X-axis travel, 60" Y-axis travel, 16" table retract, rapids, power drawbar, stainless steel way covers, S/N 9367.



WOTAN 5-1/8" HORIZONTAL BORING MILL



UNION 5" HORIZONTAL BORING MILL



DEVLIEG 3" CAP. JIG MILL



G&L 10' X 10' POWERED ROTARY TABLE W/INFEED

**50 T.
CAP.**



MORANDO 67" VERTICAL BORING MILL

VERTICAL BORING MILL

MORANDO 67", Mdl. VS17, 67" table w/(4) boring mill jaws, 75" swing, 74" under rail, 170 RPM, 65 HP motor, (2) swivel ram heads, side head, coolant, rapids, pwr. rail elevation, pwr. clamping, pendant, upgraded electric, lft. ram eqpd. w/grinding spndl. and added fds. w/grinding spndl. controls on pendant, S/N 05226. (Note: Loading charge of \$1,500.00 will apply to this item. This machine may require transportation Permits due to size or weight. All Permits are the buyer's responsibility.)



TECHNIDRILL 6-AXIS CNC GUN DRILL

CNC 6-AXIS FLOOR TYPE HORIZONTAL GUN DRILL

TECHNIDRILL MDL. 200-2.0-48-5A-CNC, 6-axis CNC control, 0.1875"–2" drill dia. range, 48" Z-axis drill stroke w/(2) whip guides, 146" X-axis column travel, 36" Y-axis vert. column travel, 146" x 48" T-slotted set-up table, 40,000 lb. cap., (2) spd. ranges: 600–6,000 RPM, 20 HP spndl. motor, high-flow coolant system, ABB spndl. drive, (2) 48" sq. pwr. index rotary tables, chip conveyor, S/N 7120.

HOLLOW SPINDLE LATHE

LANSING 28" X 60", 9.25" spndl. hole, 18.875" over crossslide, 37.75" swing in gap, 17" gap length, 60" dist. btn. centers, (16) spndl. spds: 8–500 RPM, D1-15 Camlock spndl. nose, 20" bed width, 25 HP motor, inch/metric thdng., tailstock, taper attach., followrest, chip pans, coolant, S/N 38381.

ENGINE LATHE

AXELSON 22" X 150" ENGINE LATHE, 15" sw. over crossslide, (24) spndl. spds: 13–1,577 RPM, (54) fds: 0.0027–0.1655 IPR, (54) thds: 1-1/2-92 TPI, 10-5/8" crossslide travel, 4-3/4" comp. rest travel, 2-7/8" tailstock spndl. dia., 9" tailstock spndl. travel, No. 4 MT tailstock spndl. taper, 15" dia. 4-jaw chuck, 15 HP motor, taper attach., (3) steadyrests, hard ways, thread dial, tailstock, coolant, S/N 4576.



LANSING 28" X 60" HOLLOW SPINDLE LATHE



AXELSON 22" X 150" ENGINE LATHE

LOCATION E CONTINUED



CARLTON 10' X 26" RADIAL DRILL



CARLTON 6' X 19" RADIAL DRILL



CARLTON 5' X 15" RADIAL DRILL



**SALE DATE: BIDS START CLOSING ON TUESDAY,
DECEMBER 16 AT 10:00 A.M.**

**ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE
FOR ONLINE BIDDING AT THIS AUCTION.**

BidSpotter.com

INSPECTION: Monday, December 15 from
9:00 A.M. to 4:00 P.M. or by Appointment

RADIAL DRILLS

CARLTON 10' X 26" W/36" EXTRA HEIGHT, drills to center of 240" circle, 26" dia. column, 120" arm length, 91.5" arm travel on column, 104" head travel on arm, No. 6 MT taper, 24" spndl. travel, (36) spndl. spds: 12–1,200 RPM, 16.5"–120" spndl. ctr. to column, 20.5"–136" spndl. to base (36" extra), 34"–138" spndl. radius, 25 HP motor, no base, pwr. head traverse, pwr. clamping, pwr. arm elevation, S/N 5A3572.

CARLTON 6' X 19" W/24" EXTRA HEIGHT, drills to center of 144" circle, 19" dia. column, 72" arm length, 46" arm travel on column, 59" head travel on arm, No. 6 MT taper, 20" spndl. travel, (36) spndl. spds: 15–1,500 RPM, 13.25"–72" spndl. center to column, 4" spndl. dia., 32"–102" spndl. to base, 77" x 50" base, pwr. head travel, pwr. clamping, pwr. arm elevation, S/N 4A4956.

CARLTON 5' X 15", drills to center of 120" circle, 15" dia. column, 60" arm length, 39" arm travel on column, 48" head travel on arm, No. 5 MT taper, 18" spndl. travel, (36) spndl. spds: 15–1,500 RPM, 12.25"–60" spndl. center to column, 3.18" spndl. dia., 9"–66" spndl. to base, 65" x 42" base, pwr. head travel, pwr. clamping, pwr. arm elevation, S/N 3A3087.

PLAIN HORIZONTAL MILLS W/MOTORIZED OVERARMS

KEARNEY & TRECKER MDL 430TF17, 17" x 94" table, 42" long. travel, 14" cross travel, 18" vert. travel, (24) main spndl. spds: 15–1,500 RPM, (8) ram spndl. spds: 100–1,600 RPM, No. 50 taper, (32) fds.) 3/8–90 IPM long and cross, 1/8–30 vert., 30 HP motor, twin elevating screws, ram type motorized overarm, rear controls, coolant pump, rapids, S/N 4-7275.

KEARNEY & TRECKER MDL 430TF17, 17" x 80" table, 42" long. travel, 14" cross travel, 18" vert. travel, (24) main spndl. spds: 15–1,500 RPM, (8) ram spndl. spds: 100–1,600 RPM, No. 50 taper, (32) fds.) 3/8–90 IPM long and cross, 1/8–30 vert., 30 HP motor, twin elevating screws, ram type motorized overarm, rear controls, coolant pump, rapids, S/N 4-7451.

PLAIN HORIZONTAL MILL

KEARNEY & TRECKER MDL 425TF, 17" x 88" table, 42" long. travel, 14" cross travel, 18" vert. travel, (24) spndl. spds: 13–1,300 RPM, No. 50 taper, (32) fds., 3/8–90 IPM, 25 HP motor, twin elevating screws, dbl. overarm, rear controls, coolant pump, rapids, S/N 7-8233.



K&T 17" X 94" MILL W/MOTORIZED OVERARM



K&T 17" X 80" MILL W/MOTORIZED OVERARM



K&T MDL. 425TF PLAIN HORIZONTAL MILL

LOCATION E CONTINUED



VERTICAL MILL

CINCINNATI MILACRON MDL 450-20 VERCIPOWER BED TYPE, 20" x 86.5" table, 42" long. travel, 18" cross travel, 24" vert. travel, (24) spndl. spds: 14-1,400 RPM, No. 50 taper, 2" to 26" spndl. to table, (32) feeds, 3/8-90 IPM long., 3/16-45 IPM cross, 50 HP motor, rapids, S/N 331045V75-0002.



ROTARY SURFACE GRINDER

SULMECANICA 39", Mdl. RAPG-100, 39.4" table, 1,700 lbs. cap., (3) table spds: 10, 20, and 30 RPM, 11.8" max. grinding height, 19.7" dia. segmented wheel, (8) segments, 13.4 IPM rapid downfeed, 0.0001" min. handwheel div., 60 HP motor, Marposs E5 in-process gauging, coolant filter system, mist buster, wheel dresser, S/N 1111.

PIPE BENDING DIES

INCLUDING: 5" dia. 180 deg. bend die 18"/20" radius, 6.75-7" dia. 180 deg. bend die 18" radius, 7.5" dia. 180 deg. bend die 30"/32" radius, 9" dia. 180 deg. bend die 36" radius.



LARGE CAPACITY OVERHEAD BRIDGE CRANE

P&H 150/50 T. CAP. X 86' SPAN X 53' LIFT HT., dbl. girder, 150 T. main cap., 50 T. aux. cap., 86' span, 53' lift ht., 13'6" spread, 7'3" min. dist. btn. hooks, 42" dia. x 126" long main hoist drum, 125 HP main motor, 75" center to center of wheels, lift. hand cab loc., S/N C14311/C18851. (Note: Call 713-462-5800 for appointment to inspect machine. Loading charge of \$5,000 will apply to this item. This machine may require transportation permits due to size or weight. All permits are the buyer's responsibility.)



CINCINNATI 12' X 3/4" CAP. MECHANICAL SHEAR

SHEARS

CINCINNATI 12' X 3/4" CAP. MDL. 6212 MECHANICAL, Mdl. 6212, 144" x 3/4" cap. in mild steel, 30 SPM, 600 RPM flywheel, 65" front gauge, 36" backgauge, 39 T. cap. hold-down press., 1/2" per ft. rake angle, 147" dist. btn. housings, 32" tbl. ht., 20" projection below floor, 1-1/16" ram adj., 18" throat, 30 HP motor, front operated backgauge, 12' squaring arm, includes (8) 12'-5" shear knives, 12'-5" length, 4-3/4" width, 1-1/8" to 1-3/8" thickness, S/N 28239. (Note: Loading Charge of \$1,500.00 will apply to this item. This machine may require transportation permits due to size or weight. All permits are the buyer's responsibility.)

PACIFIC 10' X 3/4" MDL. 750-S10A HYDRAULIC, 10' x 3/4" cap. @ 1/2" per ft. rake, 10' x 1" cap. @ 3/4" per ft. rake, 124" knives, 10'-3" dist. btn. housings, 18" gap, (11) hold-downs, 33 T. cap. hold-down press, 40 HP motor, front operated backgauge, adj. stroke, adj. rake angle, adj. knife clearance, squaring arm, S/N S10141. (Note: loading charge of \$1,500.00 will apply to this item. This machine may require transportation permits due to size or weight. All permits are the buyer's responsibility.)



LOCATION F MADEWELL LLC

Surplus to the ongoing operations of
1410 Harris St., Houston, TX 77020

INSPECTION: Monday, December 15
from 9:00 A.M. to 4:00 P.M.

CNC LATHE

MAZAK MDL. INTEGRIX 30, Mazatrol T-Plus CNC control, 12" hyd. chuck, 20" max. sw. over bed, 15.75" max. sw. over carriage, 40.5" centers, 3.46" hole, spds.: 35–3,500 RPM, 35 HP, 40 taper, 40-pos. ATC, under power, S/N 185484.

ELECTRONIC DISCHARGE MACHINE

MITSUBISHI MDL. V55F SINKER RAM TYPE, Mitsubishi C11V70 CNC control, 16-position 3R ATC, "C" axis programmable, 51" x 30" x 22" tank size, S/N 045V11563.



ROUGH TERRAIN HYDRAULIC TELESCOPING CRANE

GALION MDL. 150A 15 T. CAP., 4-section boom, diesel engine, outriggers, good rubber, under power.

**LOCATION G
NORTH HOUSTON
STORAGE FACILITY:**
A Another Storage
15891 Interstate 45 North,
Houston, TX 77385

**INSPECTION: Monday,
December 15 from 9:00
A.M. to 4:00 P.M.**
or by appointment *but you
must call to be let in*
(936-271-3420)

VACUUM PUMP LIQUID EXTRACTION RING PACKAGE

PACKAGE INCLUDES: GARDNER DENVER 7" SERIES CYCLO-BLOWER, 1,265 cu.ft./min, rated to vertically vacuum liquid mercury up to 24" Hg., gauged for -30" Hg. (part #7CDL11H), a 3" and 4" outflow Kunkle relief valve, 30 HP explosion proof G.E. 3 ph motor, 7" PrdGenTex silencer, 7" Solberg air/water stripper w/2.25" valved breather; **THE SOIL VAPRO EXTRACTORY SYSTEM INCLUDES:** Ejector systems 750 gal. tank w/4" effluent intake, 3" and 4" outflows, carbon fiber block filter, secondary 10 HP channel blower, (2) 100 gal. yellow water flush tanks, 10 HP A.O. Smith elec. motor, Leeson XP water pump; **LIQUID RING VACUUM PUMP INCLUDES:** L.R.V. tank, jet blower intake, (2) 3 HP XP auger motors on base of liquid-gas stripper. Sold as a package with con-ex container and all wiring, breakers, control panel and lights.



**PARTIAL VIEW OF VACUUM PUMP LIQUID
EXTRACTION RING PACKAGE**

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.
GO TO www.pmi-auction.com and click on BidSpotter.com on our calendar page for this auction sale.

HUGE ONLINE AUCTION WITH ITEMS AT 15 LOCATIONS IN OR NEAR HOUSTON, BEAUMONT, DALLAS & EL PASO

**Machine Tools, Fabricating Equipment, Processing Equipment, Forklifts, Hydraulic Telescoping Crane,
Gantry & Bridge Type Cranes, 1926 Antique Automobile, Furniture**



PACIFIC 90 T. X 10' W. HYDRAULIC PRESSBRAKE



WYSONG 16 GA. X 4' W. X 10' L. CUT-TO-LENGTH LINE

LOCATION H

Surplus to the ongoing operations of
TRI R ERECTING
21283 Foster Road, Spring, TX 77388

INSPECTION: Monday, December 15
from 9:00 A.M. to 4:00 P.M. or by appointment
(Call 281-353-7225 for appointment)

HYDRAULIC PRESSBRAKE

PACIFIC 90 T. X 10' W. MDL. 90 x 10, 10" throat, 104" btwn. housings, under power, 460V/3PH, S/N 5322. (Needs minor electrical work.)

IRONWORKER

BUFFALO MDL. 1-1/2 DUAL OPERATION MECHANICAL UNIVERSAL TYPE, 65 T. cap., 5 HP, foot treadle and hand lever controls, under power, S/N N.A.

CUT-TO-LENGTH LINE

WYSONG 16 GAUGE X 4' W. X 10' L. SHEETS, (2) adj. width coil spools max. width 50", 4' wide straightening rolls, 16 gauge x 4' shear, 12" exit rubber belt w/dual roller conveyor, automatic control side panel, S/N N.A.

RARE ANTIQUE AUTOMOBILE

1926 OAKLAND 4-DOOR SPORT PHACTON, body by Holdens, collapsible rag top, seats 5, 6-cylinder engine, spare tire, 1 of only 3 produced in 1926 for export, right hand drive, original engine: rebuilt, original drive line: rebuilt, crystal glass, opera seats, blue body, black fenders, original owner's manual and maintenance manual included. Owner believes this is the last one of its kind left in the world. Rag top has some weathering and wear. Running condition. Please inspect!

LARGE CAPACITY FORKLIFT

CATERPILLAR 30,000 LB. CAP. MDL. DP135, 30,000 lb. cap. @ 24" load center, CAT diesel, auto. trans., 180" lowered height, 197" lift ht., side shift, cab, 92" forks, 1200 x 20 tires, 8,833 H.O.M., S/N 5DP00028.



CATERPILLAR 30,000 LB. CAP. MDL. DP135 LARGE CAPACITY FORKLIFT



1926 OAKLAND 4-DOOR SPORT PHACTON RARE ANTIQUE AUTOMOBILE



AUCTION

18% BUYER'S PREMIUM WILL APPLY

**SALE DATE: BIDS
START CLOSING
ON TUESDAY,
DECEMBER 16 AT
10:00 A.M.**

INSPECTION:
Monday, December 15
from
9:00 A.M. to 4:00 P.M.
or by Appointment

LOCATION J

Surplus to the ongoing operations of
NAES Corp
7618 Bluff Point Dr, Houston, TX 77086

INSPECTION: Monday, December 15
from 9:00 A.M. to 4:00 P.M.



JIG MILL

DEVLIEG MDL. 4H-60, 40" x 60" T-slot tbl., 4" spndl., 48" vert. headstock travel, spndl. spds.: 26-1,220 RPM, threads and feeds, rapid feeds, way covers, lube system, Accu-rite 3-axis D.R.O., under power, S/N 8358.

TURBINE LASER ALIGNMENT SYSTEM

CASCADE ANALYTICS SERIES MDL. EASY-LASER E960B 60" CAP., new 2012 and unused, measuring probe w/60" max. stroke, color display w/graphs, software, laser transmitter and detector, bluetooth wireless operation.

UNUSED



LOCATION K

Surplus to the ongoing operations of
SILVA TECHNOLOGIES
3509 Texas Ave., Houston, TX 77003

INSPECTION: Monday, December 15
from 9:00 A.M. to 4:00 P.M. or by appointment
but you must call to be let in (713-869-3631)

ENGINE LATHES

YAMAZAKI 24" X 160" GAP BED MDL. MAZAK-24, 20" 4-jaw chuck, spds.: 12-1,200 RPM, eng./met. threading, taper, 4" spndl. hole, steady rest, full length leadscrew, toolpost, S/N N.A.

YAMAZAKI GAP BED, 14" 4-jaw chuck, spds.: 37-1,500 RPM, threading, taper, steady rest, full length lead screw, toolpost, S/N N.A.

AXELSON 22.5" X 72", size 18", 10' overall bed, threading, taper, steady rest, S/N N.A.

MAGNETIC LIFTING DEVICES

(2) O.S. WALKER MDL. CM-800 TOTERS, 1,760 lbs. smooth surface rating for 1.5" thick steel.

CHAIN HOISTS

COFFING 1 T. ELECTRIC CHAIN HOIST, pendant ctrl.; **(2) BUDGIT 1/2 T. ELECTRIC**, (1) w/pendant ctrl, (1) w/chain pull ctrl.; **LOADSTAR SERIES 627 ELECTRIC**, pendant, trolley; **HITACHI 1/2 T. CAP ELECTRIC**, pendant, trolley; **BUDGIT 1/2 T. ELECTRIC**; **YALE 1-1/2 T. MANUAL CHAIN HOIST**; **YALE EATON 1 T. MANUAL**; **JET 1 T. HOIST**, trolley, no chain, for repair; **JET 1 T. ELECTRIC**, for repair; **(2) BUDGIT ELECTRIC**, for repair; **CM 1/2 T. CAP ELECTRIC**, no pendant, for repair; **DEMAG 1/4 T. ELECTRIC**, pendant ctrl., for repair.



LOCATION L

PLANT & MACHINERY, INC.
1304 Langham Creek Dr.,
Suite 454,
Houston, TX 77084

INSPECTION: Monday, December 15
from 9:00 A.M. to 4:00 P.M.
or by appointment.
(Call 713-691-4401 for appointment.)

TELEPHONE SYSTEM

AT&T PARTNER II, Avaya and Lucent handsets, 8-line capability.

OFFICE FURNITURE

CREDENZAS; DESK; END TABLES; CHAIRS.



LOCATION M
DALLAS AREA STORAGE FACILITY
 2120 North Loop 12, Irving, TX 75061

INSPECTION: Monday, December 15
 from 9:00 A.M. to 4:00 P.M.
 or by appointment.
 (Call 972-438-5438 for appointment)

FORKLIFTS

TAYLOR 52,000 LB. CAP. MDL. TC-520, 114" std mast., diesel, cushion tires, 60" forks, fork positioner, 5,400 H.O.M., S/N S-D1-19942.

CLARK 12,000 LB. CAP., MDL. CGP55, new 2001, 92" 3-stage mast, 178" lift ht., side shift, LPG, dual drive pneumatic tires, 48" forks, S/N CGP460L-0218-GEF-9612.

CLARK 10,000 LB. CAP., MDL. GCX50, new 1997, 87" 3-stage mast, 188" lift ht., cushion tires, side shift, LPG, 42" forks, 4222.5 H.O.M., S/N GX710U-0051-9457FB.

YALE 8,000 LB. CAP., MDL. GDP080, new 2004, 98" 3-stage mast, 206" lift ht., side shift, diesel, pneumatic tires, 48" forks, S/N E813V01534B.

YALE 5,000 LB. CAP., MDL. GLC050, new 2001, 84" 3-stage mast, 194" lift ht., side shift, LPG, cushion tires, 42" forks, S/N 187V17229Y.

YALE 5,000 LB. CAP., MDL. GLC050, new 2000, 82" 3-stage mast, 189" lift ht., side shift, LPG, cushion tires, 42" forks, S/N E187V13854X.

2001



CLARK 12,000 LB. CAP. FORKLIFT

2004



YALE 8,000 LB. CAP. FORKLIFT

LOCATION N

Surplus to the ongoing operations of
JOE FULLER LLC
 5029 Milwee, Bldg. 4, Houston, TX 77092
 713-956-1045

INSPECTION: Monday, December 15
 from 9:00 A.M. to 4:00 P.M.

OVERHEAD BRIDGE CRANES

ROBBINS & MYERS 5 T. X 37' SPAN, Mdl. SIB-OH-MD, top riding bridge, underslung hoist, dual I-beam design, Shaw-box 5 T. cap. Mdl. LiftTech wire cable hoist, pendant control, S/N C-2094.

ROBBINS & MYERS 3 T. X 29' SPAN, top riding bridge, underslung hoist, Robbins & Myers 3 T. wire cable hoist, Mdl. 5C-5-26 w/Shaw-box pendant ctrl., S/N N.A.



FREE-STANDING OVERHEAD BRIDGE CRANE SYSTEM

GAFFEY 10 T. CAP. TOP RUNNING DOUBLE GIRDER DESIGN, new 1995, approx. 70' span, approx. 160' dual run-way, 30' tall structural steel uprights, S/N 51012BH01. Currently disassembled and ready for loading.

LOCATION P
FACILITY CLOSED
MET-TECH STEEL
FABRICATION, INC.
 380 Valley Chili Road,
 Vinton (El Paso area)
 TX 79821

INSPECTION: By
Appointment Only-
Call Jeremy Bristow at
915-274-9964

**GO TO OUR WEBSITE CALENDAR AT
WWW.PMI-AUCTION.COM
FOR THE LINK TO THE BIDSPOTTER CATALOG.**

TERMS AND CONDITIONS

TERMS AND CONDITIONS OF ON-LINE AUCTION SALE

An 18% Buyer's Premium will apply.

A 100% refundable \$3,000 (US bidders) or \$10,000 (foreign bidders) deposit is required for all webcast bidding unless prior approval has been obtained from the auction company.

ALL BIDS ARE MADE AND RECEIVED UNDER THE TERMS HEREINAFTER SET FORTH TO WHICH TERMS BIDDERS AGREE BY MAKING THEIR BID AT THE SALE. THESE TERMS CANNOT BE ALTERED EXCEPT BY THE AUCTIONEER. NO EMPLOYEE HAS AUTHORITY TO MODIFY SAME. THE OWNER AND/OR AUCTIONEER RESERVE THE RIGHT TO ADD TO OR MODIFY THE TERMS OF THE SALES.

All payments must be made by Cash, Cashier's Check, Wire Transfer or Company Check with Bank Letter of Guarantee to Plant & Machinery, Inc. (PMI). Here is an example of what your letter should be: [Mr. "Customer Name" representing "Company Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery, Inc. on the account listed herein up to the amount of \$ _____. This letter is good until (insert expiration date 30 days from sale date).]

All bidders are required to give full name, company name, address, phone, fax, email address, and bank information when registering. All bidders must register before bidding.

All bids must be paid in full within two business days after the bids have closed. The Auctioneer shall determine the bidding increments. Some items may be auctioned with reserve.

All purchases must be removed within two weeks after the bids have closed or within the timeframe posted on the sale web page. No lot can, on any account, be removed prior to PMI having been paid in full. Removal shall be at the expense, risk and liability of the Purchaser. Purchases will be delivered only on presentation of paid bill. Auctioneer shall not be responsible for goods not removed within the aforesaid time.

Riggers, movers, electricians or buyer performing work at the Auction Sites must provide Auctioneer with evidence of insurance. The insurance coverage must be at a level acceptable to Auctioneer and to the Seller.

All checks for deposits and balances due shall be payable to the order of PLANT & MACHINERY, INC. unless instructed otherwise. All bills must be paid to the Houston headquarters offices of the Auctioneer at 1304 Langham Creek Drive, Suite 454, Houston, TX, 77084 or by wire transfer directly to the bank specified in the wire transfer instructions provided for this on-line auction. The full purchase price on all lots sold to the same buyer must be paid within the time fixed and before removal of any of the goods.

THE AUCTIONEER SHALL NOT BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is Purchaser's responsibility that articles purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.

Purchaser agrees to indemnify and hold Auctioneer harmless from and against all claims and liabilities relating to the condition or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state and local laws applicable to such articles, including OSHA requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.

No claims will be allowed after removal of goods from premises.

Auctioneer shall not, in any event, be liable for non-delivery or any other matter or thing, to any Purchaser of any lot other than for the return to the Purchaser of the deposit or sum paid on said lot, should the Purchaser be entitled thereto.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting Purchaser.

Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefor. Neither the Auctioneer nor his principal shall be liable by reason of defect in or condition of the premises on which the sale is held.

The Auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of a Seller will be served, the Auctioneer reserves the right to sell all the property listed, in bulk.

Where items are sold by estimated weight, count or measure, the Purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any shortage exists, the Purchaser will receive a refund at the rate of purchase. If there be an excess, the Purchaser will be required to pay for such excess, at the rate of purchase.

The Auctioneer reserves the right to reject any and all bids, alter the order of sale, and accept bids made on behalf of the Seller.

The record of sale kept by the Auctioneer will be taken as final in the event of any dispute.

The Auctioneer is acting as agent only and is not responsible for the acts of its principals. Purchaser acknowledges, as an inducement to Seller to commit Purchaser to bid, that Purchaser has independently inspected the goods bid upon by the Purchaser, and acknowledges to the Seller that Purchaser is acquiring all goods **"AS IS, WITH ALL FAULTS"** and **"WITH REMOVAL AT PURCHASERS' RISK AND EXPENSE"** and agrees to protect, indemnify and hold harmless the Seller from any and all claims, demands, causes of actions, liabilities and judgments relating to the conditions or use of the goods.

Seller, if not the same as the Auctioneer, shall have the rights, protections and benefits afforded to the Auctioneer as set forth herein.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

ANY ADDITIONAL PROVISIONS OR AMENDMENTS TO THE ABOVE LISTED TERMS WILL BE POSTED TO THE ON-LINE SALE WEB PAGE BY THE AUCTIONEER PRIOR TO THE START OF BIDDING.