MAJOR FABRICATING EVENT

THE EXCLUSIVE RIGGER AT THIS SITE IS:

THE ADS GROUP

CONTACT: RANDY NYLAND PHONE: 905-560-2010 EXT. 224

- RIGGING FEES WILL APPLY TO ALL ITEMS THAT REQUIRE MECHANICAL REMOVAL
- ITEMS NOT PRICED THAT REQUIRE RIGGING WILL BE CAD \$25.00 PER LIFT OR CAD \$90.00 PER HOUR PLUS MATERIALS I.E. SKIDS, BOXES, WRAPPING, ETC.
- FOR ITEMS MARKED "TBD", THE RIGGING FEES ARE YET TO BE DETERMINED
- ALL PRICES ARE AS LOADED ON YOUR TRUCK AND IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF SALE
- TRANSPORTATION IS EXTRA
- NO ITEMS MAY BE REMOVED WHILE AUCTION IS IN PROGRESS

Lot	t Qty Description	Fees
96	96 1CANSAW ABRASIVE COLD CUT SAW (CI)	\$200.00
97		\$25.00
98	GROB 4V-18 VERTICAL BAND SAW WITH 18" THROAT, 24"X 28" TABLE, 13" MAX WORK HEIGH	T, COOLANT,
90	BLADE WELDER/GRINDER, S/N: 2043 (LOCATION 2) (CI)	\$250.00
99		\$125.00
100		\$125.00
101	(LOCATION 2) (CI)	\$450.00
102	S/N J-219229 (LOCATION 2) (CI)	\$250.00
96		\$200.00
97		\$25.00
98	BLADE WELDER/GRINDER, S/N: 2043 (LOCATION 2) (CI)	T, COOLANT, \$250.00
99		\$125.00
100		\$125.00
101	(LOCATION 2) (CI)	\$450.00
102	1 BRIDGEPORT VERTICAL MILL WITH 9" X 42" TABLE SPEEDS TO 2720 RPM, LYMAN MK7 POWE S/N J-219229 (LOCATION 2) (CI)	\$250.00
104	1 MYSORE KIRLOSKAR GAP BED LATHE S/N: E2-783 (CI)	\$25.00
134	1 HAUSER M5 VERTICAL JIG BORING MACHINE WITH 24"X29" TABLE, SPEEDS TO 2000 RPM, H 2 AXIS DRO, S/N: 24 (LOCATION 2) (CI)	EIDENHAIN \$250.00
139	32355502 (CI)	Y S/N: \$125.00
145	SCOTCHMAN 9012 HYDRAULIC IRONWORKER WITH 90 TON CAP, 1 1/16" X 1" PUNCHING CAI 6" ¬" ANGLE CUTTING CAPACITY S/N 20401M1288 (LOCATION 2) (CI)	PACITY, 6" X \$250.00
146		l) \$125.00
147		\$450.00
153	1 STRIPPIT SUPER 30/40 40 TON FABRICATOR WITH 35" THROAT, 48" X 72" TABLE, PUNCH GAL SYSTEM, EXTRA HEADS S/N 16112876 (LOCATION 2) (CI)	JGING \$450.00
193	ALLSTEEL 160 20' HYDRAULIC PRESS BRAKE WITH 244" OVERALL BENDING LENGTH, 173" IN 1HOUSINGS, 160 TON BENDING CAPACITY, AUTOGAUGE CNC 99 PROGRAMMABLE BACK GAL CURTAINS S/N: 1607 (CI)	
199	HOUSINGS, MANUAL BACK GAUGE S/N: N/A (CI)	\$1,750.00
200	HOUSINGS, 20 TON CAPACITY S/N: 2883 (CI)	\$200.00
201		\$250.00
202	ACCURSHEAR (2014) 625016 HYDRAULIC SHEAR WITH 16' X ¬" CAP, ACCURSHEAR PROGRAI 1BACK GAUGE, ACCURSHEAR DIGITAL CONTROL, GAP ADJUSTMENT, LIGHT CURTAINS, 10' S ARM S/N 6465 (LOCATION 2) (CI)	
203	HACO (2003) TS3006 SHEAR WITH 1/4" X 10" MAX CUITTING CAPACITY 30" FRONT OPERATED	

204	DI ACRO HYDRASHEAR HYDRAULIC SHEAR WITH 10' X 10 GA CAP, FRONT OPERATED POWER BACK GAUGE, GAP ADJUSTMENT S/N 101473698 (LOCATION 2) (CI)	\$750.00
205	STEELWELD MECHANICAL SHEAR WITH 209" OVERALL CUTTING LENGTH, 200" INBETWEEN HOUSINGS,	·
	MECHANICAL BACK GAUGE S/N: N/A (CI)	\$1,750.00
206	1MFG. UNKNOWN CORNER NOTCHER WITH UNITOOL NOTCHERS (CI)	\$450.00
207	CHARMILLES (1995) ROBOFIL 510 CNC WIRE TYPE ELECTRICAL DISCHARGE MACHINE WITH FANUC CNC CONTROL, TRAVELS X- 27.5", Y- 15.75", Z- 15.75", 47.2" X 27.55" X 15.75" MAX WORK PIECE DIMENSIONS, 2200 LBS MAX WORK PIECE WEIGHT, AUTOMATIC THREADING, DIALECTRIC FILTER SYSTEM, ADVANTAGE CHILLER, S/N: 570016 (LOCATION 2) (CI)	\$250.00
208	1EMPIRE DCR-80 SHOT BLAST CABINET WITH MEDIA RECLAIM DUST COLLECTOR S/N: C-15840 (CI)	\$250.00
254	1PNEU-WAY AIR DRYER/CHILLER S/N: N/A (CI)	\$25.00
255	1ZEKS-THERM AIR DRYER/CHILLER S/N: N/A (CI)	\$25.00
256	1LOT/ STAMPING DIES (CI)	\$25.00
413	IRONCRAFTER 50 TON HYDRAULIC IRONWORKER WITH 4" X 4" X 3/8" ANGLE CUTTING CAP, 1 ¬ " MAX PUNCHING CAP, 8" X 6 " MAX SHEARING CAP S/N N/A (LOCATION 1) (CI)	\$250.00
421	NANTONG XT6325A VERTICAL MILLING MACHINE WITH, 9" X 42" TABLE, SPEEDS TO 4800 RPM, FAGOR DRO S/N 15178 (LOCATION 1) (CI)	\$200.00
423	TOS FA4AH HORIZONTAL MILLING MACHINE WITH 63" X 13" TABLE, SPEEDS TO 1400 RPM, VERTICAL MILLING HEAD, MITUTOYO DRO S/N 40756 (LOCATION 1) (CI)	\$200.00
424	1REXCUT B096 GEARHEAD DRILL S/N: 890996 (CI)	\$200.00
	STANKO 1M63 17" X 112" ENGINE LATHE WITH 3 1/8" BORE, SPEEDS TO 1250 RPM, THREADING,	φ1∠5.00
425	COOLANT S/N 27416 (LOCATION 1) (CI) TAKONG YK430XL 17" X 60" ENGINE LATHE WITH 2 ¬ " BORE, SPEEDS TO 1800 RPM, THREADING,	\$250.00
426		¢250.00
435	COOLANT S/N N/A (LOCATION 1) (CI) 1FORD SMITH DOUBLE END PEDESTAL GRINDER (CI)	\$250.00 \$25.00
435	1BALDOR DOUBLE END PEDESTAL GRINDER (CI)	\$25.00
437	1RIGID 300-T12 PIPE THREADER (CI)	\$25.00
437	1CAN-SAW VERTICAL BAND SAW (CI)	\$25.00
457	GRENEN/BRANCH 8' X ¬ " DOUBLE INITIAL PINCH HYDRAULIC PLATE BENDING ROLL WITH 8' LONG ROLLS, 6.3" DIA TOP ROLL, AIR DROP END, ANGLE ROLLING S/N 0980251 (LOCATION 1) (CI)	\$450.00
	PACIFIC K300-20 HYDRAULIC PRESS BRAKE WITH 20' X 3/16" -300 TON CAP, 20' BED AND RAM	φ 4 50.00
458	1 (INCLUDING 24" HORN ON RH SIDE), 16' 5" BETWEEN HOUSINGS, 18" APPROX STROKE, TILT ADJUSTMENT, FOOT AND PALM STATION S/N 2788 (LOCATION 1) (CI)	\$2,500.00
	MESSER (2003) TITAN 8 CNC SHAPE CUTTING MACHINE WITH MG HYPERTHERM NAVIGATOR CNC	Ψ2,300.00
	CONTROL, 20' X 10' TABLE, 32' RAIL, (2) PLASMA CUTTING HEADS, HYPERTHERM HT 4400 PLASMA	
459	POWER SOURCE, HYPERTHERM HD 3070 HIGH DEFINITION PLASMA POWER SOURCE S/N TITAN8/4LP-	
	03-4211 (LOCATION 1) (CI)	\$8,500.00
	FLOW/DYNOVATION (2000) FLYING BRIDGE WATERJET CUTTING SYSTEM WITH LYNX CNC CONTROL, 6'	+ 0,00000
460	1X 12' CUTTING TABLE, 78" X 157" X 7.88" WORK ENVELOPE, FLOW ZXC-55 INTENSIFIER S/N 200-5977	
	(LOCATION 1) (CI)	\$7,500.00
	ADS/WHEELABRATOR (2009) 18 CU TB TUMBLAST WITH 30 HP BLAST WHEEL, RUBBER MILL BELT, HD	V 1,000100
	MANGANESE BARREL HEAD PLATES, LH & RH MANGANESE SEAL ASSEMBLIES, MANGANESE ONE- PIECE DOOR ASSEMBLY, ELEVATOR ASSEMBLY W/ MULTI-PLY BELT AND CAST STEEL BUCKETS,	
462	1LOWER SCREW AUGER FEEDING ELEVATOR, 40" CFS SEPARATOR ASSEMBLY & UPPER SCREW AND	
102	ROTARY SCREEN, SERVICE PLATFORM AND ACCESS LADDER, FINES & TRASH PIPES, EXHAUST	
	PLENUM, BLAST GATES FOR EACH VENTILATION PICK-UP POINT, OPERATOR CONTROL PANEL,	
	REBUILT BUCKET LOADER ASSEMBLY & SHAKER TAKE AWAY CONVEYOR (LOCATION 1) (CI)	\$9,000.00
	IBT 6 CUBIC FOOT RUBBER BELT TUMBLAST MACHINE WITH 15 HP 3600 RPM DIRECT DRIVE BLAST	ψο,σσσ.σσ
	WHEEL,650 POUND LOAD CAPACITY, NEW MULTI-PLY RUBBER MILL BELT, EXTRA SUPPORT ROLLS,	
	ADJUSTABLE TAKE-UPS FOR TENSIONING OF THE MILL CONVEYOR, BI-DIRECTIONAL DESIGN FOR	
	CLOCKWISE AND COUNTER CLOCK WISE ROTATION, 2 «" WIDE CAST PREMIUM ALLOY BLADE SETS	
	MOUNTED TO A DOUBLE SIDED BARE WHEEL, PNEUMATICALLY OPERATED ABRASIVE CONTROL VALVE,	
	FEED HOSE ASSEMBLY AND ABRASIVE SLIDE/SHUT OFF GATE FOR MAINTENANCE, MILD STEEL BLAST	
	CABINET AND FEED HOPPER, TRASH SCREEN AND ACCESS DOOR, HD STEEL ROOF PLATE, BARREL	
405	HEAD PLATES AND BARREL HEAD SEALS, ONE PIECE PNEUMATIC LOADING DOOR WITH PNEUMATIC	
463	OPERATED LOCKING PINS, LOWER SCREW AUGER SLAVE DRIVEN OFF OF ELEVATOR BOOT PULLEY,	
	HD ELEVATOR ASSEMBLY WITH MULTI-PLY ELEVATOR BELT ASSEMBLY, CAST STEEL BUCKETS, AND 1 «	
	HP DIRECT DRIVE GEAR MOTOR, 20" SINGLE LIP AIR WASH STYLE SEPARATOR, FINES CHUTE AND	
	DRIBBLE VALVE, UPPER SCREW AUGER AND ROTARY SCREEN, INTERLOCKED ABRASIVE CONTROL	
	WITH THE DOOR LOCKS, INTEGRAL 5 HP CARTRIDGE DUST COLLECTOR, AFTER/SECONDARY FILTER	
	TO EXHAUST THE AIR BACK INTO THE PLANT. INTERLOCKING LOADING DOOR LIMIT SWITCH	
	PREVENTING THE BLAST WHEEL FROM STARTING, WHEEL MOTOR WILL NOT START UNLESS WORK	
	DOOR IS CLOSED, PNEUMATIC DOOR LOCK. (LOCATION 1) (CI)	\$1,500.00
161	PANGBORN (REBUILT 2007) 8LK TABLE BLAST MACHINE WITH (2) 30 HP 180 - 2RK BELT DRIVEN BLAST	
464	WHEELS, HEAVY STEEL WÓRK TABLE W/ MANGANESE TABLE TOP SECTIONS & 7/8" DRAIN HOLES,	\$9,000.00

466 WHEELABRATOR 4'CU SUPER TUBE STEEL MILL SN: NA (CI) S8,500	465	LOWER TABLE SWEEP DESIGN TO PROTECT LOWER SECTION OF THE BLAST CHAMBER, OVERHEAD CRANE LOADING CABINET DESIGN, FOUNDRY DUTY DOOR ASSEMBLY AND HEAVY DUTY CAST HINGE ASSEMBLIES, MANGANESE STEEL LINERS WITH CAST CAP NUTS IN LINE WITH BLAST STREAMS, RUBBER LINED BLAST CABINET AND DOOR ASSEMBLY, HD ELEVATOR ASSEMBLY C/W MULTI-PLY BELT AND CAST STEEL BUCKETS, SEPARATOR ASSEMBLY C/W UPPER SCREW, AND SCALPING DRUM, HD FINES AND TRASH PIPES/TUBING, ABRASIVE STORAGE HOPPER. (2) FEED PIPE ASSEMBLIES C/W PNEUMATICALLY OPERATED ABRASIVE CONTROL VALVE, EXHAUST PLENUM, OMRON SAFETY DOOR INTERLOCK SWITCH IS MOUNTED ON WORK DOORS, SUPERSTRUCTURE AND SERVICE PLATFORM C/W HAND RAILING AND CAGED ACCESS LADDER, DUST COLLECTOR (LOCATION 1)(CI) IBT 2 SDD DOUBLE DOOR SPIN BLAST MACHINE WITH 27 " HIGH X 20" DIA CLEANING ENVELOPE, 10 " OSCILLATING TRAVEL, (2) 10 HP 3600 RPM, DIRECT DRIVE(8) BLADED BLAST WHEELS, 2 " WIDE CAST PREMIUM ALLOY BLADE SETS MOUNTED TO A SINGLE SIDED BARE WHEEL, CAST PREMIUM ALLOY CONTROL CAGE AND IMPELLER, MANGANESE WHEEL HOUSING C/W FULL MANGANESE LINER PACKAGE, 3/8" MANGANESE STEEL BLAST CHAMBER, CAST CHROMEMOLY (5/8") LINERS IN LINE WITH THE BLAST WHEELS, (2) HEAVY DUTY WORK DOOR ASSEMBLIES WITH LABYRINTH DOOR TO CABINET CASA AND AND AND AND AND AND AND AND AND AN	
BOCP (8) WHEEL 36' WIRE MESH BELT MACHINE WITH 36' W X 24" H CLEANING ENVELOPE, (4) 15 HP BLAST WHEELS ABOVE THE MESH BELT IN A POST BLAST COMPIGURATION, (4) 20 HP BLAST WHEELS BELOW THE MESH BELT BLASTING UP THROUGH THE BELT ASSEMBLY, 36" WOVEN MANGANESE MESH BELT W; 1009; CAP, CONTINUOUS WELD HEAVY MANGANESE BLAST CABINET, MILD STEEL ENTRANCE VESTIBULE AND VESTIBULE SEALS, CAST CHROMEMOLY LINERS-IN LINE AND CABINET MANGANESE PLATE LINERS, COMPILETE RECLAIM SYSTEM CONSISTING OF, LONGITUDINAL CONVEYOR, HD ELEVATOR ASSEMBLY, UPPER SCREW CONVEYOR, ROTARY SCREEN SEPARATOR, AUTOMATIC ABRASIVE ADDER (LOCATION 1) (CI) BIS SPINNER HANGER BLAST MACHINE WITH (2) 30 HP BLAST WHEELS, 3/8" THICK MANGANESE STEEL BLAST CABINET, MANGANESE STEEL AUTOMATIC WORK DOORS, CAST CHROMEMOLY, LINERS-IN LINE IN THE BLAST CABINET, MANGANESE STEEL LEVATOR BUCKETS, ABRASIVE RECYCLING SYSTEM BLAST ABBINET NOWER ABRASIVE AUGER CONVEYORS, MONORAIL TRACK, TROLLEY HANGERS, STRUCTURAL STEEL BEAM FRAMEWORK WISUPPORTS BOTH OVER THE BLAST CHAMBER, BLAST SPINNER MECHANISM W/, SPROCKET WORK HANGERS WHICH PULL THE COMPILETE HANGER AND WORK PIECE INTO THE CABINET, SEPARATOR WITH SCREW & ROTARY SCREEN ABRASIVE STORAGE HOPPER (LOCATION 1) (CI) WHEELABRATOR WHEEL SKEW ROLL MACHINE WITH 26" DIAMETER, 40 HP, 1800 RPM, DIRECT DRIVEN, WHEELABRATOR EZETI BLAST WHEEL WI(8) 3 "BLADES, CAST MANGANESE WHEEL HOUSING W. CAST END AND TOP LINERS, CONTINUOUS WELD HEAVY MANGANESE BLAST CABINET, CAST CHROMEMOLY FULLY CAST BLAST CHAMBER WITH LINERS ON WALLS AND ROOF, CAST HORSE COLLAR AROUND THE BLAST WHEEL OPENING, HO A BRASIVE BOX ABOVE THE LOWER AUGER, IN-LINE WITH THE BLAST TO PROTECT THE LOWER AUGER, MILLIPLY ELEVATOR BELT, SEPED DRIVE FOR THE SKEW ROLL CONVEYOR, HONGTONIAL SCREW COLLS ON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAFT, SHEAVES AND BELTS FOR EACH SKEW ROLL ASSEMBLY, VARIABLE SPEED DRIVE FOR THE SKEW ROLL CONVEYOR, COST STEEL BLAST CABINET AND WELSON OF EXTRAOR CONVEYOR HOW THE LOWER AUGER, IN-LINE WITH THE BLAST TO HEAVE AND SETTING AND STRUCTURAL		AUTOMATIC WHEEL CLOSURE PLATE ASSEMBLIES, VENTILATION EXHAUST PLENUM WITH ADJUST BLAST GATE, 2) PNEUMATIC ABRASIVE CONTROL VALVES WITH SLIDE GATES AND FEED HOSE ASSEMBLY, ELEVATOR MOUNTED AUTOMATIC ABRASIVE ADDER (LOCATION 1) (CI)	\$2,500.00
1 VESTIBULE AÑD VESTIBULE SEALS, CAST CHROMEMOLY LINERS-IN LINE AND CABINET MANGANESE PLATE LLINERS, COMPLETE RECLAIM SYSTEM CONSISTING OF, LONGITUDINAL CONVEYOR, HD ELEVATOR ASSEMBLY, UPPER SCREW CONVEYOR, ROTARY SCREEN SEPARATOR, AUTOMATIC ABRASIVE ADDER (LOCATION 1) (CI) BIS SPINNER HANGER BLAST MACHINE WITH (2) 30 HP BLAST WHEELS, 3/8" THICK MANGANESE STEEL BLAST CABINET, MANGANESE STEEL AUTOMATIC WORK DOORS, CAST CHROMEMOLY LINERS-IN LINE IN THE BLAST CABINET, MANGANESE STEEL ELEVATOR HOPPER, VENTILATION EXHAUST PLENUM, MULTI-PLY ELEVATOR BELT, CAST STEEL ELEVATOR BUCKETS, ABRASIVE RECYCLING SYSTEM BLAST (CABINET LOWER ABRASIVE AUGER CONVEYORS, MONORAIL TRACK, TROLLEY HANGERS STRUCTURAL STEEL BEAM FRAMEWORK W.SUPPORTS BOTH OVER THE BLAST CHAMBER, BLAST SPINNER MECHANISM W./ SPROCKET WORK HANGERS WHICH PULL THE COMPLETE HANGER AND WORK PIECE INTO THE CABINET, SEPARATOR WITH SCREW & ROTARY SCREEN ABRASIVE STORAGE HOPPER (LOCATION 1) (CI) WHEELABRATOR WHEEL SKEW ROLL MACHINE WITH 26" DIAMETER, 40 HP, 1800 RPM, DIRECT DRIVEN, WHEELABRATOR EXFIT BLAST WHEEL W. (8) 3 «" BLADES, CAST MANGANESE WHEEL HOUSING W.CAST END AND TOP ILINERS, CONTINUOUS WELD HEAVY WANGANESE BLAST CABINET, CAST CHROMEMOLY FULLY CAST BLAST CHAMBER WITH LINERS ON WALLS AND ROOF, CAST HORSE COLLAR AROUND THE BLAST WHEEL OPENING, HD ABRASIVE BOX ABOVE THE LOWER AUGER, INL. DIVIDING A SOME AUGUST WELL SOME AUGUST WEST STRUCKED. AUGUST WAS AUGUST WELL SOME AUGUST WEST STRUCKED, WILLT-PLY ELEVATOR BELT, VESTIBULE AND VESTIBULE GUM RUBBER SEALS, HEAVY DUTY, 12" LONG CAST SKEW ROLLS ON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAPT, SHEAVES AND BELTS FOR EACH SKEW ROLL SON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAPT, SHEAVES AND BELTS FOR EACH SKEW ROLL SONNEYOR, HD, 7" × 21" ELEVATOR ASSEMBLY, CAST STEEL BUCKETS, MULT-PLY ELEVATOR BELT, THREE IN ENTRANCE AND EXIT VESTIBULE GUM ANGANESE BLAST CABINET ROLLS DIVIDED AND ANGANESE BLAST CABINET AND WHEEL PODS, CAST "LINERS IN LINE" & CAST CABINET ROLLS INSIDE HUBBERS TO RECOVER BY STEEM WITH FR		BCP (8) WHEEL 36" WIRE MESH BELT MACHINE WITH 36" W X 24" H CLEANING ENVELOPE, (4) 15 HP BLAST WHEELS ABOVE THE MESH BELT IN A POST BLAST CONFIGURATION, (4) 20 HP BLAST WHEELS BELOW THE MESH BELT BLASTING UP THROUGH THE BELT ASSEMBLY, 36" WOVEN MANGANESE MESH	\$8,500.00
BLAST CABINET, MANGANESE STEEL AUTOMÁTIC WORK DOORS, CAST CHROMEMOLY LINERS-IN LINE IN THE BLAST CABINET, MANGANESE STEEL FLOOR HOPPER, VENTILATION EXHAUST PLENUM, MULTI- PLY ELEVATOR BELT, CAST STEEL ELEVATOR BUCKETS, ABRASIVE RECYCLING SYSTEM BLAST 10ABINET LOWER ABRASIVE AUGER CONVEYORS, MONORAIL TRACK, TROLLEY HANGERS, STRUCTURAL STEEL BEAM FRAMEWORK WISUPPORTS BOTH OVER THE BLAST CHAMBER, BLAST SPINNER MECHANISM W/ SPROCKET WORK HANGERS WHICH PULL THE COMPLETE HANGER AND WORK PIECE INTO THE CABINET, SEPARATOR WITH SCREW & ROTARY SCREEN ABRASIVE STORAGE HOPPER (LOCATION 1) (CI) WHEELABRATOR WHEEL SKEW ROLL MACHINE WITH 26" DIAMETER, 40 HP, 1800 RPM, DIRECT DRIVEN, WHEELABRATOR EZFIT BLAST WHEEL W/ (8) 3 *" BLADES, CAST MANGANESE WHEEL HOUSING W/ CAST END AND TOP LINERS, CONTINUOUS WELD HEAVY MANGANESE BLAST CABINET, CAST CHROMEMOLY FULLY CAST BLAST CHAMBER WITH LINERS ON WALLS AND ROOF, CAST HORSE COLLAR AROUND THE BLAST WHEEL OPENING, HO ABRASIVE BOX ABOVE THE LOWER AUGER, IN-LINE WITH THE BLAST TO 1PROTECT THE LOWER AUGER, MILD STEEL ENTRANCE AND EXIT VESTIBULE AND VESTIBULE GUM RUBBER SEALS, HEAVY DUTY, 12" LONG CAST SKEW ROLLS ON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAFT, SHEAVES AND BELTS FOR EACH SKEW ROLL ASSEMBLY, VARIABLE SPEED DRIVE FOR THE SKEW ROLL CONVEYOR, LONGITUDINAL SCREW CONVEYOR, HD, 7" X 21" ELEVATOR ASSEMBLY, CAST STEEL BUCKETS, MULTI-PLY ELEVATOR BELT, 18" CFS GRAVITY SEPARATOR ASSEMBLY, WITH ABRASIVE HOPPER (LOCATION 1) (CI) BCP (4) WHEEL STRUCTURAL ROLL CONVEYOR SHOT BLAST MACHINE WITH 24" WIDE X 36" HIGH (SINGLE PASS) CLEANING ENVELOPE, (4) DIRECT DRIVE, 25 HP BLAST WHEELS (POST BLAST DESIGN) MANGANESE BLAST CABINET AND WHEEL PODS, CAST "LINERS IN LINE" & CAST CABINET ROLLS INSIDE 1THE BLAST CHAMBER, (3) SETS OF URETHANE FINGER SEALS, THREE IN ENTRANCE AND EXIT VESTIBULES. 40" OF ENTRANCE CONVEYOR AND 40" OF EXIT CONVEYOR WITH FULL LENGTH EXIT SPILL HOPPER, 24" ROLL SPACING, 400 LB. ABRASIVE STATION MINTENANCE PLATFORM & LADDER (LOCATION 1) (CI) EMPIRE BLAST PEEN SYSTEM W	467	VESTIBULE AND VESTIBULE SEALS, CAST CHROMEMOLY LINERS-IN LINE AND CABINET MANGANESE PLATE LINERS, COMPLETE RECLAIM SYSTEM CONSISTING OF, LONGITUDINAL CONVEYOR, HD ELEVATOR ASSEMBLY, UPPER SCREW CONVEYOR, ROTARY SCREEN SEPARATOR, AUTOMATIC ABRASIVE ADDER (LOCATION 1) (CI)	\$8,500.00
HOPPER (LOCATION 1) (CI) WHEELABRATOR WHEEL SKEW ROLL MACHINE WITH 26" DIAMETER, 40 HP, 1800 RPM, DIRECT DRIVEN, WHEELABRATOR EZFIT BLAST WHEEL W/ (8) 3 «" BLADES, CAST MANGANESE WHEEL HOUSING W/ CAST END AND TOP LINERS, CONTINUOUS WELD HEAVY MANGANESE BLAST CABINET, CAST CHROMEMOLY FULLY CAST BLAST CHAMBER WITH LINERS ON WALLS AND ROOF, CAST HORSE COLLAR AROUND THE BLAST WHEEL OPENING, HD ABRASIVE BOX ABOVE THE LOWER AUGER, IN-LINE WITH THE BLAST TO 1PROTECT THE LOWER AUGER, MILD STEEL ENTRANCE AND EXIT VESTIBULE AND VESTIBULE GUM RUBBER SEALS, HEAVY DUTY, 12" LONG CAST SKEW ROLLS ON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAFT, SHEAVES AND BELTS FOR EACH SKEW ROLL ASSEMBLY, VARIBLE SPEED DRIVE FOR THE SKEW ROLL CONVEYOR, LONGITUDINAL SCREW CONVEYOR, HD, 7" X 21" ELEVATOR ASSEMBLY WITH ABRASIVE HOPPER (LOCATION 1) (CI) BCP (4) WHEEL STRUCTURAL ROLL CONVEYOR SHOT BLAST MACHINE WITH 24" WIDE X 36" HIGH (SINGLE PASS) CLEANING ENVELOPE, (4) DIRECT DRIVE, 25 HP BLAST WHEELS (POST BLAST DESIGN) MANGANESE BLAST CABINET AND WHEEL PODS, CAST "ILINERS IN LINE" & CAST CABINET ROLLS INSIDE 1THE BLAST CHAMBER, (3) SETS OF URETHANE FINGER SEALS, THREE IN ENTRANCE AND EXIT VESTIBULES. 40' OF ENTRANCE CONVEYOR AND 40' OF EXIT CONVEYOR WITH FULL LENGTH EXIT SPILL HOPPER, 24" ROLL SPACING, 400 LB. ABRASIVE ADDER, UPPER SERVICE PLATFORM & LADDER (LOCATION 1) (CI) EMPIRE BLAST PEEN SYSTEM WITH FREE STANDING BLAST ENCLOSURE DESIGNED FOR PITLESS INSTALLATION ON A FLAT FINISHED FLOOR, FULLY WELDED, SIX (6) MM THICK MILD STEEL HEAVY STRUCTURAL FRAMED ENCLOSURE, 64" HEAVY-DUTY MAIN TABLE, FOUR (4) INDIVIDUAL WORK 1STATIONS, (2) FOR LOADING/UNLOADING PARTS, (2) FOR BLASTING PEENING, (6) 8 MM LONG LIFE BLAST NOZZLES, (2) AXIS NOZZLE RECIPROCATOR, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, HOW OFF STATION MAINTENANCE PLATFORM (LOCATION 1) (CI) 172 1LANG TREE NOZEL BLAST SYSTEM (CI) 181,500 181,500 181,500 181,500	468	IN THE BLAST CABINET, MANGANESE STEEL FLOOR HOPPER, VENTILATION EXHAUST PLENUM, MULTI- PLY ELEVATOR BELT, CAST STEEL ELEVATOR BUCKETS, ABRASIVE RECYCLING SYSTEM BLAST 1CABINET LOWER ABRASIVE AUGER CONVEYORS, MONORAIL TRACK, TROLLEY HANGERS, STRUCTURAL STEEL BEAM FRAMEWORK W/SUPPORTS BOTH OVER THE BLAST CHAMBER, BLAST SPINNER MECHANISM W//SPROCKET WORK HANGERS WHICH PULL THE COMPLETE HANGER AND	
WHEELABRATOR EZFIT BLAST WHEEL W/ (8) 3 «" BLADES, CAST MANGANESE WHEEL HOUSING W/ CAST END AND TOP LINERS, CONTINUOUS WELD HEAVY MANGANESE BLAST CABINET, CAST CHROMEMOLY FULLY CAST BLAST CHAMBER WITH LINERS ON WALLS AND ROOF, CAST HORSE COLLAR AROUND THE BLAST WHEEL OPENING, HD ABRASIVE BOX ABOVE THE LOWER AUGER, IN-LINE WITH THE BLAST TO 1PROTECT THE LOWER AUGER, MILD STEEL ENTRANCE AND EXIT VESTIBULE AND VESTIBULE GUM RUBBER SEALS, HEAVY DUTY, 12" LONG CAST SKEW ROLLS ON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAFT, SHEAVES AND BELTS FOR EACH SKEW ROLL ASSEMBLY, VARIABLE SPEED DRIVE FOR THE SKEW ROLL CONVEYOR, LONGITUDINAL SCREW CONVEYOR, HD, 7" X 21" ELEVATOR ASSEMBLY, CAST STEEL BUCKETS, MULTI-PLY ELEVATOR BELT, 18" CFS GRAVITY SEPARATOR ASSEMBLY WITH ABRASIVE HOPPER (LOCATION 1) (CI) BCP (4) WHEEL STRUCTURAL ROLL CONVEYOR SHOT BLAST MACHINE WITH 24" WIDE X 36" HIGH (SINGLE PASS) CLEANING ENVELOPE, (4) DIRECT DRIVE, 25 HP BLAST WHEELS (POST BLAST DESIGN) MANGANESE BLAST CABINET AND WHEEL PODS, CAST "LINERS IN LINE" & CAST CABINET ROLLS INSIDE 1THE BLAST CHAMBER, (3) SETS OF URETHANE FINGER SEALS, THREE IN ENTRANCE AND EXIT VESTIBULES. 40' OF ENTRANCE CONVEYOR AND 40' OF EXIT CONVEYOR WITH FULL LENGTH EXIT SPILL HOPPER, 24" ROLL SPACING, 400 LB. ABRASIVE ADDER, UPPER SERVICE PLATFORM & LADDER (LOCATION 1) (CI) EMPIRE BLAST PEEN SYSTEM WITH FREE STANDING BLAST ENCLOSURE DESIGNED FOR PITLESS INSTALLATION ON A FLAT FINISHED FLOOR, FULLY WELDED, SIX (6) MM THICK MILD STEEL HEAVY STRUCTURAL FRAMED ENCLOSURE, 64" HEAVY-DUTY MAIN TABLE, FOUR (4) INDIVIDUAL WORK 1STATIONS, (2) FOR LOADING/UNLOADING PARTS, (2) FOR BLASTING PEENING, (6) 8 MM LONG LIFE BLAST NOZZLES, (2) AXIS NOZZLE RECIPROCATOR, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, BLOW OFF STATION MAINTENANCE PLATFORM (LOCATION 1) (CI) \$7505 473 1LOT/WHEELABRATOR COMPONENTS (CI) \$7505 473 1LOT/WHEELABRATOR COMPONENTS (CI) \$1,250		HOPPER (LOCATION 1) (CI)	\$8,500.00
BCP (4) WHEEL STRUCTURAL ROLL CONVEYOR SHOT BLAST MACHINE WITH 24" WIDE X 36" HIGH (SINGLE PASS) CLEANING ENVELOPE, (4) DIRECT DRIVE, 25 HP BLAST WHEELS (POST BLAST DESIGN) MANGANESE BLAST CABINET AND WHEEL PODS, CAST "LINERS IN LINE" & CAST CABINET ROLLS INSIDE 1THE BLAST CHAMBER, (3) SETS OF URETHANE FINGER SEALS, THREE IN ENTRANCE AND EXIT VESTIBULES. 40' OF ENTRANCE CONVEYOR AND 40' OF EXIT CONVEYOR WITH FULL LENGTH EXIT SPILL HOPPER, 24" ROLL SPACING, 400 LB. ABRASIVE ADDER, UPPER SERVICE PLATFORM & LADDER (LOCATION 1) (CI) EMPIRE BLAST PEEN SYSTEM WITH FREE STANDING BLAST ENCLOSURE DESIGNED FOR PITLESS INSTALLATION ON A FLAT FINISHED FLOOR, FULLY WELDED, SIX (6) MM THICK MILD STEEL HEAVY STRUCTURAL FRAMED ENCLOSURE, 64" HEAVY-DUTY MAIN TABLE, FOUR (4) INDIVIDUAL WORK 1STATIONS,(2) FOR LOADING/UNLOADING PARTS, (2) FOR BLASTING PEENING, (6) 8 MM LONG LIFE BLAST NOZZLES, (2) AXIS NOZZLE RECIPROCATOR, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, BLOW OFF STATION MAINTENANCE PLATFORM (LOCATION 1) (CI) \$1,500 472 1LANG TREE NOZEL BLAST SYSTEM (CI) \$750 473 1LOT/ WHEELABRATOR COMPONENTS (CI)	469	WHEELABRATOR EZFIT BLAST WHEEL W/ (8) 3 «" BLADES, CAST MANGANESE WHEEL HOUSING W/ CAST END AND TOP LINERS, CONTINUOUS WELD HEAVY MANGANESE BLAST CABINET, CAST CHROMEMOLY FULLY CAST BLAST CHAMBER WITH LINERS ON WALLS AND ROOF, CAST HORSE COLLAR AROUND THE BLAST WHEEL OPENING, HD ABRASIVE BOX ABOVE THE LOWER AUGER, IN-LINE WITH THE BLAST TO 1PROTECT THE LOWER AUGER, MILD STEEL ENTRANCE AND EXIT VESTIBULE AND VESTIBULE GUM RUBBER SEALS, HEAVY DUTY, 12" LONG CAST SKEW ROLLS ON 10" CENTERS THROUGHOUT WITH A COMMON LINE SHAFT, SHEAVES AND BELTS FOR EACH SKEW ROLL ASSEMBLY, VARIABLE SPEED DRIVE FOR THE SKEW ROLL CONVEYOR, LONGITUDINAL SCREW CONVEYOR, HD, 7" X 21" ELEVATOR ASSEMBLY, CAST STEEL BUCKETS, MULTI-PLY ELEVATOR BELT, 18" CFS GRAVITY SEPARATOR	
(SINGLÉ PASS) CLEANING ENVELOPE, (4) DIRECT DRIVE, 25 HP BLAST WHEELS (POST BLAST DESIGN) MANGANESE BLAST CABINET AND WHEEL PODS, CAST "LINERS IN LINE" & CAST CABINET ROLLS INSIDE 1THE BLAST CHAMBER, (3) SETS OF URETHANE FINGER SEALS, THREE IN ENTRANCE AND EXIT VESTIBULES. 40' OF ENTRANCE CONVEYOR AND 40' OF EXIT CONVEYOR WITH FULL LENGTH EXIT SPILL HOPPER, 24" ROLL SPACING, 400 LB. ABRASIVE ADDER, UPPER SERVICE PLATFORM & LADDER (LOCATION 1) (CI) EMPIRE BLAST PEEN SYSTEM WITH FREE STANDING BLAST ENCLOSURE DESIGNED FOR PITLESS INSTALLATION ON A FLAT FINISHED FLOOR, FULLY WELDED, SIX (6) MM THICK MILD STEEL HEAVY STRUCTURAL FRAMED ENCLOSURE, 64" HEAVY-DUTY MAIN TABLE, FOUR (4) INDIVIDUAL WORK 1STATIONS,(2) FOR LOADING/UNLOADING PARTS, (2) FOR BLASTING PEENING, (6) 8 MM LONG LIFE BLAST NOZZLES, (2) AXIS NOZZLE RECIPROCATOR, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, BLOW OFF STATION MAINTENANCE PLATFORM (LOCATION 1) (CI) \$1,500 472 1LANG TREE NOZEL BLAST SYSTEM (CI) \$750 \$1,250			\$3,500.00
EMPIRE BLAST PEEN SYSTEM WITH FREE STANDING BLAST ENCLOSURE DESIGNED FOR PITLESS INSTALLATION ON A FLAT FINISHED FLOOR, FULLY WELDED, SIX (6) MM THICK MILD STEEL HEAVY STRUCTURAL FRAMED ENCLOSURE, 64" HEAVY-DUTY MAIN TABLE, FOUR (4) INDIVIDUAL WORK 1STATIONS,(2) FOR LOADING/UNLOADING PARTS, (2) FOR BLASTING PEENING, (6) 8 MM LONG LIFE BLAST NOZZLES, (2) AXIS NOZZLE RECIPROCATOR, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, BLOW OFF STATION MAINTENANCE PLATFORM (LOCATION 1) (CI) 1LANG TREE NOZEL BLAST SYSTEM (CI) 1LOT/ WHEELABRATOR COMPONENTS (CI) \$1,250	470	(SINGLE PASS) CLEANING ENVELOPE, (4) DIRECT DRIVE, 25 HP BLAST WHEELS (POST BLAST DESIGN) MANGANESE BLAST CABINET AND WHEEL PODS, CAST "LINERS IN LINE" & CAST CABINET ROLLS INSIDE 1THE BLAST CHAMBER, (3) SETS OF URETHANE FINGER SEALS, THREE IN ENTRANCE AND EXIT VESTIBULES. 40' OF ENTRANCE CONVEYOR AND 40' OF EXIT CONVEYOR WITH FULL LENGTH EXIT SPILL HOPPER, 24" ROLL SPACING, 400 LB. ABRASIVE ADDER, UPPER SERVICE PLATFORM & LADDER	#2 F00 00
473 1 LOT/ WHEELABRATOR COMPONENTS (CI) \$1,250	471	EMPIRE BLAST PEEN SYSTEM WITH FREE STANDING BLAST ENCLOSURE DESIGNED FOR PITLESS INSTALLATION ON A FLAT FINISHED FLOOR, FULLY WELDED, SIX (6) MM THICK MILD STEEL HEAVY STRUCTURAL FRAMED ENCLOSURE, 64" HEAVY-DUTY MAIN TABLE, FOUR (4) INDIVIDUAL WORK 1STATIONS,(2) FOR LOADING/UNLOADING PARTS, (2) FOR BLASTING PEENING, (6) 8 MM LONG LIFE BLAST NOZZLES, (2) AXIS NOZZLE RECIPROCATOR, HORIZONTAL & VERTICAL CARRIAGE TRAVEL, ABRASIVE STORAGE HOPPER, MEDIA ADDER, BLOW OFF STATION MAINTENANCE PLATFORM (LOCATION 1) (CI)	\$3,500.00 \$1,500.00
			\$750.00
11.700	473 474	1LOT/ WHEELABRATOR COMPONENTS (CI) 1LOT/ WHEELABRATOR COMPONENTS (CI)	\$1,250.00 \$1,250.00

475	1LOT/ PANGBORN COMPONENTS (CI)	\$1,250.00
476	1EMPIRE PORTABLE SHOT BLAST POT (CI)	\$25.00
477	1EMPIRE PORTABLE SHOT BLAST POT (CI)	\$25.00
478	1 RODRIGUE RODAIR HD1124 DUST COLLECTOR S/N: C66866 (CI)	\$250.00
479	1 WHEELABRATOR DUST COLLECTOR S/N: N/A (CI)	\$250.00
480	1MFG. UNKNOWN DUST COLLECTOR (CI)	\$250.00
481	1 WHEELABRATOR SISON LEHMANN DUST COLLECTOR S/N: N/A (CI)	\$250.00
482	1 AIR CARE AIR FILTRATION UNIT S/N: N/A (CI)	\$250.00
483	1 AIR CARE AIR FILTRATION UNIT S/N: N/A (CI)	\$125.00
484	1 AERCOLOGY FDV6000 AIR FILTRATION UNIT S/N: 48368 (CI)	\$125.00
485	1 AERCOLOGY AIR FILTRATION UNIT S/N: N/A (CI)	\$125.00
486	1Q AIR AIR FILTRATION UNIT S/N: N/A (CI)	\$125.00
487	1 MICROAIR AIR FILTRATION UNIT (CI)	\$125.00
488	1MFG. UNKNOWN AIR FILTRATION UNIT S/N: N/A (CI)	\$125.00
489	1 AIR PNEUMATIC AIR FILTRATION UNIT S/N: N/A (CI)	\$125.00
496	1MFG UNKNOWN 28' 5 TON SINGLE GIRDER UNDER SLUNG BRIDGE CRANE (LOCATION 1) (CI)	\$250.00
497	1MFG UNKNOWN 28' 5 TON SINGLE GIRDER UNDER SLUNG BRIDGE CRANE (LOCATION 1) (CI)	\$250.00
498	1MFG UNKNOWN 28' 1 « TON SINGLE GIRDER UNDER SLUNG BRIDGE CRANE (CI)	\$250.00
499	1MFG UNKNOWN 28' 2 TON SINGLE GIRDER UNDER SLUNG BRIDGE CRANE (CI)	\$250.00
501	1MFG UNKNOWN PAINT EXHAUST SYSTEM (CI)	\$250.00
502	1LOT/ APPROX 25' ROLLER CONVEYOR WITH JIB ARM (CI)	\$125.00
533	1 FREE STANDING JIB ARM WITH BUDGIT 1/2 TON ELECTRIC HOISE (CI)	\$250.00
534	1 FREE STANDING JIB ARM WITH BUDGIT 1/2 TON ELECTRIC HOISE (CI)	\$250.00
552	1S.W.L 20 TON SPREADER BEAM (CI	\$125.00
553	1 S.W.L. 20 TON SPREADER BEAM (CI)	\$125.00