

WEBCAST/ONSITE AUCTION

As Instructed by the H. Paulin & Co., Ltd.

JEYCO®
Machine Products

Complete Screw Machine Manufacturing Facility



Wednesday, May 20th • 10:00 am Local Time
Mississauga (Toronto), Ontario, Canada

As Instructed by the H. Paulin & Co., Ltd.



AUCTION DATE

WEDNESDAY, MAY 20TH
BEGINNING AT 10:00AM LOCAL TIME

PREVIEW DATE

TUESDAY, MAY 19TH
9AM TO 4PM LOCAL TIME

FOR EARLIER INSPECTION, PLEASE CONTACT
CASSIDY BAKER AT 416-252-1955 OR EMAIL
CBAKER@HILCOGLOBAL.COM

Auction & Preview Location

2420 ANSON DRIVE
MISSISSAUGA (TORONTO),
ONTARIO, CANADA L5S 1G2

The Auction Will Be
Conducted
Onsite and Online at



DIRECTIONS

FROM TORONTO PEARSON INTERNATIONAL AIRPORT: EXIT AIRPORT TO AIRPORT RD / PEEL REGIONAL RD 7, TURN LEFT ONTO DERRY RD E / PEEL REGIONAL RD 5, THEN TURN RIGHT ONTO TORBRAM RD. TURN LEFT ONTO ANSON DR AND CONTINUE TO AUCTION LOCATION ON THE LEFT.

FURTHER INFORMATION

- A 15% BUYER'S PREMIUM WILL BE CHARGED FOR ALL ONSITE SALES. AN 18% BUYER'S PREMIUM WILL BE CHARGED FOR ALL BIDSPOTTER SALES. ACCEPTING U.S. CURRENCY ONLY.
- REMOVAL DEADLINE IS FRIDAY, JUNE 19TH (NO EXCEPTIONS) REMOVAL HOURS: MONDAY – FRIDAY 9:00 AM – 4:00 PM LOCAL TIME. BUYERS WITH ITEMS LEFT ON SITE AFTER DEADLINE ARE SUBJECT TO FINES OF \$500 PER DAY.

MACHINERY & EQUIPMENT

ODD KNUDSEN • +1 647-991-6905 • OKNUDSEN@HILCOGLOBAL.COM

PAYMENT INFORMATION

FRANCA GUIDA +1 416-252-1955 • EMAIL FGUIDA@HILCOGLOBAL.COM

CUSTOMER SERVICE

+1 877-37-HILCO • +1 616-732-1800 • INFO@HILCOIND.COM
CASSIDY BAKER • +1 416-252-1955 • CBAKER@HILCOGLOBAL.COM

*Information contained herein deemed to be accurate at time of printing and subject to change.
For updated information, please visit our website at www.hilcoind.com for any changes to
date, sale process, terms and conditions and list of available assets.*

HYDROMAT HB32/45-16 ROTARY TRANSFER MACHINE



HYDROMAT HB32/45-16 ROTARY TRANSFER MACHINE

1 – HYDROMAT MODEL HB32/45-16 PRECISION ROTARY TRANSFER MACHINE, S/N HB32-373 (2000), 7.8MM Cycles, Hydromat Standard Loader, Collet Loading, High Pressure Clamping, Dual Cooling Units, Tooled with: 36-100 Series Threading Unit, (2) 36-100 Series Turning/Drill Unit, (3) 20-50 Series Drill Unit, 40 Series Inverting Unit, 40 Series Cut-Off Unit, 20-50 Turning Unit, 20/80 Series Vertical Unit, Bridge Attachment, 35/60 Series Recess Unit, 35/60 Quick Change Drill Unit, 20/50 Series Drill Unit, (2) 36/100 Series Drill Units, (3) 20 Series New Style Flanges, 30 Series New Style Flange

Partial Listing Only, Please Visit Our Website
www.hilcoind.com/jeyco
For Complete Lot Catalogue


(10) HYDROMAT HW25/12 ROTARY TRANSFER MACHINES



HYDROMAT HW25/12 ROTARY TRANSFER MACHINES

10 – HYDROMAT MODEL HW25/12 PRECISION ROTARY TRANSFER MACHINES, (As New as 2000), 16MM to 23.6MM Cycles, Hydromat Standard Loader / Lemca Bundle Loader, Collet Loading, Dual Cooling Units, Machines Tooling Configurations Vary and May Include: 30 Series Turning/Drill Units, 25/50 Series Vertical Drill, 20 Series Cut-Off Unit, 30 Series Inverting Unit, 26/80 Series Vertical Drill Unit, 26/80 Series Horizontal Mill, 20 Series w/ Cross Drill Head, 20 Series w/ Milling Head, 20 Series w/ Quick Change Unit, 30 Series Tapping Unit, 20 Series Old Style Threading Unit, 20/80 Mill Units w/ Head, 30 Series Threading Head w/ Quick Change, 20 Series Saw Unit, 20 Series Cut-Off Unit, 30 Series Inverting Unit, 36/100 Drill Turn Units

For Machine Specific Tooling Configurations, Please Refer to the Lot Catalogue at www.hilcoind.com/jeyco



HYDROMAT CONVERSION ROTARY TRANSFER MACHINE LARGE QUANTITY OF HYDROMAT TOOLING & PRESETTERS



HYDROMAT PRO 20/25 CONVERSION ROTARY TRANSFER MACHINE

1 – HYDROMAT MODEL PRO 20/25 CONVERSION, 10-STATION PRECISION ROTARY TRANSFER MACHINE, S/N HW20-7 (1996), 17.8MM Cycles, Hydromat Standard Loader, Collet Loading, High Pressure Clamping, Dual Cooling, Toolled with: (6) 30 Series Drill Units w/ Quick Change, 20 Series Cut-Off Unit, 30 Series Inverting Unit, 26/100 Drilling Unit



HYDROMAT TOOL PRESETTERS & TOOLING

1 – HYDROMAT MODEL URL-104-960-H125 TOOL PRESETTER, S/N 778, 5" Optical Screen, Acu-Rite 2-Axis Digital Read-Out Controller

1 – HYDROMAT MODEL URL-102-960-H125 TOOL PRESETTER, S/N 625, Acu-Rite 2-Axis Digital Read-Out Controller

LARGE QUANTITY OF HYDROMAT TOOLING Including: 30 Series Q/C Threading Unit, 20 Series Unit Recess w/Recess, Head 30/60 Quick Change Drill Unit, 35/60 Quick Change Drill Unit, (3) 20 Series Quick Change Unit 30 Series Drill Unit w/Quick Change, 36-100 Drill Unit, 20 Series Q/C Drill Unit, 36-100 Recess Turning Unit, 20-80 Recess Turn Unit, (15) Old Style 30 Series Drill Units, (2) Old Style 30 Series Recess Heads, (6) Old Style 30 Series Drill Units, (2) 20 Series Inverters Units, 30 Series Recess Turning Unit, (14) Mill Heads 20/30 Series, 40 Series Milling Head, 20/30 Threading Head, Pro 20 Collets, Lot of Hydromat Collets, Frame Crown Top Plate, (14) Quick Change PCM Drilling Heads (New Style), (18) PCM Style Drill Turning Units, (15) Old Style Drill Heads, (2) Turning Heads (New Style), (30) Old/New Style Heads



4 To schedule an auction, please call Hilco Industrial at 1-877-37-HILCO (44526)

(34) AUTOMATIC SCREW MACHINES & TOOLING

DAVENPORT 5-SPINDLE AUTOMATIC SCREW MACHINES

20 – DAVENPORT MODEL B, 5 SPINDLE AUTOMATIC SCREW MACHINES, (As New as 1995 / Rebuilt to 2005), Noise Tamer Enclosure, Trivision Controls / Logan Model CS 2001XT Clutch Controller, Filtermist Collector Unit, Tri-Vision Bar Feeder

1 – DAVENPORT MODEL C, 5 SPINDLE AUTOMATIC SCREW MACHINE, S/N 9 (1994), Noise Tamer Enclosure

See our Lot Catalogue for Machine Specific Details:
www.hilcoind.com/jeyc

DAVENPORT TOOLING

LARGE QUANTITY OF DAVENPORT TOOLING Including: Tool Holders, Slides, Tap & Tool Holders, Drill & Chamfering Tool Holders, Centre & Facing Tools, Cutoff & Facing Holders, Replacement Parts, Cams, Collets, Frames Etc.



ACME GRIDLEY 8-SPINDLE AUTOMATIC SCREW MACHINES

1 – ACME GRIDLEY MODEL RB-8 1-1/4" 8-SPINDLE AUTOMATIC SCREW MACHINE, S/N AM40369 (Rebuilt 2002), (6) Slides, Cycle Index Cam w/ Hi-Low, Deck Attachments, Logan Clutches

5 – ACME GRIDLEY MODEL RB8 2-5/8" 8-SPINDLE AUTOMATIC SCREW MACHINES, Assorted Spare Parts Including: Collets/Cams/Guard Plates/Tool Holders/Pushers/Spindle Drive Bearings/Tube Liners/Gears (Machines Located Offsite in St. Catharines, ON. For more information, contact Ken Planet 248-238-7988, email kplanet@hilcoglobal.com)

ACME GRIDLEY 6-SPINDLE AUTOMATIC SCREW MACHINES

1 – ACME GRIDLEY MODEL RB-6, 1-5/8" 6-SPINDLE AUTOMATIC SCREW MACHINE, S/N 41810, Threading Attachment, Regular Slides, Retrofit Spindle Bearing

3 – ACME GRIDLEY MODEL RA-6, 1-1/4" 6-SPINDLE AUTOMATIC SCREW MACHINES, S/N 70562, Threading Attachment, S/N 71420-B, Revolving Two Position Spindle, Pick-off, S/N 71303-C, (3) Bearing Revolving Spindle, Spindle Brake

2 – ACME GRIDLEY MODEL RAN-6, 1" 6-SPINDLE AUTOMATIC SCREW MACHINES, S/Ns A23082, B23033-N, Spindle Brake, Pick-off Attachment

1 – ACME GRIDLEY RA-6, 1" 6-SPINDLE AUTOMATIC SCREW MACHINE, S/N 70430, Threading Attachment

ACME GRIDLEY TOOLING

LARGE QUANTITY OF ACME GRIDLEY TOOLING Including: Tool Holders, Bridges, Broaching & Burnishing, Turret & Circular Tool Holders, Recess Attachments, Cutoff Tools, Threading Attachments, Collets, Drill Collars, Repair & Replacement Parts, Cams Slides & Gears, Etc.



CNC LATHES • CHIP PROCESSING RECOVERY SYSTEM • TOOL ROOM

BROWN & SHARPE AUTOMATIC SCREW MACHINES


5 - BROWN & SHARPE MODELS 00 & #2 AUTOMATIC SCREW MACHINES, S/Ns S42-00-3849, N/A

CNC LATHES

- 1 - TRAUB MODEL TNK 28/36 THREE AXIS CNC LATHE, S/N 147 (2001), Twin Spindle Multi Axis, Opposed Horizontal Chucks, 12 Station Turret w/ Live Tooling, Traub Model TX81 CNC Controller, S/N 147, (2001) FMB Model Turbo 5-42 Magazine Style Hydromatic Bar Loader, Knoll Model 240 Chip Conveyor, 3/60/460 Volts, 33 KW
- 1 - MIYANO MODEL JNC 35/45 CNC LATHE, S/N J450110S (1988), 1-3/4" Capacity, Work Length 18-1/2", 8 Station, 15 HP, Fanuc Series OT Controller
- 1 - MIYANO MODEL BND 34S CNC LATHE, S/N 3012SU (1988), Live Tooling, 1-5/8" Capacity, Work Length 7", 8 Station, Fanuc Series OT Controller, Turbo Bar Feeder
- 1 - MIYANO MODEL BNC 34T CNC LATHE, S/N BN30321T (1985), 1-5/16" Capacity, Work Length 7-7/8", 6 Station, Fanuc Series OT Controller, Bar Feeder
- 1 - SUGA MODEL MT-15 CNC TURNING CENTER, S/N E-783 (1988), Fanuc OT Series CNC Controller

CHIP PROCESSING RECOVERY SYSTEM


- 1 - RECLAIMET MODEL 2068 CHIP PROCESSING RECLAMATION CENTRIFUGE SYSTEM, S/N 2142 (1980), Barrett Clarifuge System, Oil/Sludge Extraction, Tub Dumper, Incline Screw Auger, Chip Shredder, Centrifugal Chip Wringer, Oil Pit Sump Pump & Related Support Equipment
- 1 - DELAVAL MODEL 26504 CHIP EXTRACTOR, Centrifugal Chip Wringer, Rated at 500 LB/5 Cu Ft Capacity



6 To schedule an auction, please call Hilco Industrial at 1-877-37-HILCO (44526)

TOOL ROOM

- 1 – COLCHESTER MODEL TRIUMPH 2000 ENGINE LATHE, 16" x 48" c.c.,
1-1/2" Spindle Bore, Three Jaw Chuck
- 1 – AVM MODEL MAS 165-S ENGINE LATHE, 12" x 24" c.c.
- 3 – HARDINGE SUPER PRECISION TOOLROOM LATHES
- 1 – HERBERT MODEL 4 SENIOR TURRET LATHE, S/N 4
- 1 – BRIDGEPORT 2 HP MILLING MACHINE, S/N 19264
- 1 – ADOCK-SHIPLEY MILLING MACHINE
- 1 – KENT CORP. MODEL 818 AHD SURFACE GRINDER, S/N 86040204
- 1 – HARIG MODEL SUPER 612 SURFACE GRINDER, Mitutoyo 2 Axis DRO
- 1 – OPTIMA TOOL GRINDER, S/N B1487
- 1 – SMS MODEL 612 SURFACE GRINDER, DRO
- 1 – LIAN FENG MODEL LF-618 SURFACE GRINDER
- 1 – DORMER MODEL 108 CARBIDE TOOL GRINDER
- 1 – MILES MODEL MBLD-4-24-150R BROACHING MACHINE, S/N 82-05-10
- 1 – MAGNUM MODEL HBM-4A C-FRAME HYDRAULIC PRESS, S/N 99175,
Controller
- 1 – DOALL D8W1A/16-2 METAL CUTTING BAND SAW, S/N 45-544-25



AIR FILTRATION SYSTEMS

- 6 – TRION MODEL AIR-BOSS AIR FILTRATION SYSTEMS
- 3 – JP AIR OVERHEAD AIR FILTRATION SYSTEMS

FORKLIFTS

- 1 – HYSTER MODEL S60XL LPG FORKLIFT, S/N C187V09358R, 6,000 Lbs Capacity, Side Shift, Three Stage Mast, 182" Lift, Cushion Tires
- 1 – TCM LPG FORKLIFT, S/N A15G01282, 5,000 Lbs Capacity, Three Stage Mast, Side Shift
- 1 – HYSTER MODEL S50XM LPG FORKLIFT, 4,500 Lbs Capacity, Three Stage Mast, Cushion Tires

PLANT SUPPORT EQUIPMENT

- 1 – RICHARD WILCOX 2 TON CAPACITY FREESTANDING OVERHEAD CRANE, Bolted Type Superstructure, 60' Long Single I Beam, Spacemaster 2 Ton Capacity Electric Powered Cable Winch, Powered Trolley
- 1 – STEEL 16' SPAN A FRAME, with Kito 1 Ton Capacity Electric Powered Chain Hoist
- 1 – COMPAIR MODEL 6000 AIR COMPRESSOR
- 1 – FLUIDAIR MODEL ACT-1000 AIR LINE DRYER
- 25 – ELECTRICAL POWER SUPPLY TRANSFORMERS

QUANTITY OF PLANT SUPPORT EQUIPMENT Including: Pallet Racking, Vidmar & Lyon Cabinets with Tooling, Pallet Jacks, Steel Stacking Frames, Plastic Bins, Platform Scale, Finishing Tumbler, Belt Transfer Conveyors, Spare Parts, Etc.



31555 W. Fourteen Mile Road, Suite 301
Farmington Hills, MI 48334
Ph: 248-254-9999
Fx: 248-254-9995
www.hilcoind.com

Forwarding Service Requested

Hilco Industrial **WEBCAST/ONSITE AUCTION**

As Instructed by the H. Paulin & Co., Ltd.



Complete Screw Machine Manufacturing Facility



Wednesday, May 20th • 10:00 am Local Time
Mississauga (Toronto), Ontario, Canada

Terms of Sale

A 15% buyer's premium will be charged for all onsite sales. An 18% buyer's premium will be charged for all Bidspotter sales. Everything will be sold to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items will be sold "as is, where-is" without any warranties, express or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. For updated information, please visit our website at www.hilcoind.com for any changes to date, sale process, terms and conditions and list of available assets.

Payment: ALL PURCHASES MUST BE PAID IN FULL ON THE DAY OF THE AUCTION. Accepting U.S. currency only. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of total purchases is made on the day of the sale. Contact our office for wire transfer instructions. Only cash, wire transfer or certified cheque, payable to Hilco Asset Sales Canada will be accepted. Company cheques payable to Hilco Asset Sales Canada will be accepted only if accompanied by a bank letter of guarantee and certified, (see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions.

Sample Bank Letter

(Bank Name) unconditionally guarantees payment to Hilco Asset Sales Canada from (Company Name). This guarantee will be valid for purchases made at the Auction of Jeyco Machine Products on May 20, 2015.

